## Prelim, Numerical Analysis I, (fall course) 8/15/23, 10-12 AM

- 1. Assume the matrix A to be symmetric, strictly positive definite.
- (a) Show that the matrix is nonsingular.
- (b) Define its Cholesky decomposition and determine the number of multiplications needed in the solution.
- (c) Give the pseudo inverse of a general matrix A and show how it can be used to solve over and under determined systems. Discuss properties of the solutions.
- 2. (a) Define Newton's method for minimization of a function f(x),  $x \in \mathbb{R}^d$ , which has a unique minimum at  $x_0$ .
- (b) Prove that the method converges if d = 1 and,

$$f(x) \in C^3$$
,  $f''(x_0) \ge \varepsilon > 0$ ,  $f'''(x) > 0$  when  $x > x_0$ ,  $f'''(x) < 0$ ,  $x < x_0$ 

- (c) If the minimization is constrained such that  $0 \le x \le 1$ , describe a penalty method for the minimization of the constrained problem.
- 3. The midpoint rule for numerical integration is,

$$\int_{a}^{b} f(x)dx = (b-a)f\left(\frac{a+b}{2}\right)$$

- (a) Show that the midpoint rule is a Gauss quadrature method.
- (b) Derive an error estimate based on the value of  $f''(\frac{a+b}{2})$ .
- (c) Describe Monte Carlo integration of the integral above with related error estimate.